

AMENDMENTS TO THE CLAIMS

1. (Original) A biometric device configured to receive a nonce, to receive biometric data, and to transmit the biometric data and the nonce.
2. (Original) The biometric device of claim 1 further configured to encrypt the biometric data using the nonce and to transmit only the encrypted biometric data and the nonce.
3. (Original) The biometric device of claim 1 further configured to receive a secret, to store the secret, and to transmit at least an indication of the secret with the biometric data.
4. (Currently Amended) The biometric device of claim 3 configured to encrypt the biometric data using [[only]] the secret and to transmit only the encrypted biometric data and the nonce.
5. (Original) The biometric device of claim 4, further configured to encrypt the biometric data using the secret and the nonce.
6. (Previously Presented) The biometric device of claim 5 further configured with a globally unique identifier (GUID), wherein the biometric device is further configured to encrypt the biometric data using the GUID, the secret, and the nonce.
7. (Original) The biometric device of claim 3, wherein the secret comprises a system GUID.

8. (Original) The biometric device of claim 1, wherein the nonce further comprises a random number.

9. (Original) The biometric device of claim 1 further configured to receive the biometric data in response to receiving the nonce.

10. (Original) The biometric device of claim 9 further configured to receive the biometric data only in response to receiving the nonce.

11. (Original) The biometric device of claim 1, wherein the biometric data are taken from the group consisting of: a fingerprint or thumbprint, hand geometry, voiceprint, retinal scan, facial scan, body odor, ear shape, DNA profile, keystroke dynamics, pen stroke dynamics, and vein checking.

12. (Original) The biometric device of claim 1 further configured with a GUID, wherein the biometric device is further configured to encrypt the biometric data using the GUID and to transmit only the encrypted data and the nonce.

13. (Original) The biometric device of claim 12 further configured to encrypt the biometric data using the GUID and the nonce.

14. (Original) A computer system, comprising:
a biometric device configured to receive a nonce, to receive biometric data, and to transmit the biometric data and the nonce; and
a master device configured to provide the nonce to the biometric device and to receive the biometric data and the nonce from the biometric device.
15. (Original) The computer system of claim 14, wherein the biometric device is further configured to encrypt the biometric data using the nonce and to transmit only the encrypted biometric data and the nonce; and wherein the master device is further configured to receive the encrypted biometric data and the nonce from the biometric device and to decrypt the encrypted biometric data using the nonce.
16. (Original) The computer system of claim 14, wherein the biometric device is further configured to receive a secret, to store the secret, and to transmit at least an indication of the secret with the biometric data; and wherein the master device is further configured to receive at least the indication of the secret from the biometric device and to authenticate the biometric data as being from the biometric device using at least the indication of the secret.
17. (Currently Amended) The computer system of claim 16, wherein the biometric device is configured to encrypt the biometric data using [[only]] the secret and to transmit only the encrypted biometric data and the nonce; and wherein the wherein the master device is further configured to receive the encrypted biometric data and the nonce from the biometric device and to decrypt the encrypted biometric data using the secret.

18. (Original) The computer system of claim 17, wherein the biometric device is further configured to encrypt the biometric data using the secret and the nonce; and wherein the master device is further configured to receive the encrypted biometric data and the nonce from the biometric device and to decrypt the encrypted biometric data using the secret and the nonce.

19. (Original) The computer system of claim 18, wherein the biometric device is further configured with a GUID, wherein the biometric device is further configured to encrypt the biometric data using the GUID, the secret, and the nonce.

20. (Original) The computer system of claim 16, wherein the secret comprises a system GUID.

21. (Original) The computer system of claim 14, wherein the nonce further comprises a random number.

22. (Original) The computer system of claim 22, wherein the biometric device is further configured to receive the biometric data in response to receiving the nonce.

23. (Original) The computer system of claim 16, wherein the biometric device is further configured to receive the biometric data only in response to receiving the nonce.

24. (Previously Presented) The computer system of claim 14, wherein the biometric data are taken from the group consisting of: a fingerprint or thumbprint, hand geometry, voice print, retinal scan, facial scan, body odor, ear shape, DNA profile, keystroke dynamics, pen stroke dynamics, and vein checking.

25. (Previously Presented) The computer system of claim 14, wherein the master device includes a processor, a north bridge, or a south bridge.

26. (Original) The computer system of claim 14, wherein the biometric device is further configured with a GUID, wherein the biometric device is further configured to encrypt the biometric data using the GUID and to transmit only the encrypted data and the nonce.

27. (Original) The computer system of claim 26 wherein the biometric device is further configured to encrypt the biometric data using the GUID and the nonce.

28. (Original) A method, comprising:
providing a nonce;
receiving biometric data; and
transmitting the biometric data and the nonce.
authenticating the biometric data using the nonce.

29. (Original) The method of claim 28, further comprising:
encrypting the biometric data;

wherein transmitting the biometric data and the nonce comprises transmitting only the encrypted biometric data and the nonce;
receiving the encrypted biometric data and the nonce; and
decrypting the encrypted biometric data.

30. (Original) The method of claim 29,
wherein encrypting the biometric data comprises encrypting the biometric data using the nonce;
and
wherein decrypting the encrypted biometric data comprises decrypting the encrypted biometric data using the nonce.

31. (Original) The method of claim 29, further comprising:
receiving a secret;
storing the secret;
transmitting at least an indication of the secret with the biometric data;
receiving at least the indication of the secret; and
authenticating the biometric data using at least the indication of the secret.

32. (Original) The method of claim 31,
wherein encrypting the biometric data comprises encrypting the biometric data using the secret;
and
wherein decrypting the encrypted biometric data comprises decrypting the encrypted biometric data using the secret.

33. (Original) The method of claim 32,
wherein encrypting the biometric data using the secret comprises encrypting the biometric data
using the secret and the nonce; and
wherein decrypting the encrypted biometric data using the secret comprises decrypting the
encrypted biometric data using the secret and the nonce.
34. (Original) The method of claim 33, further comprising:
providing a GUID;
wherein encrypting the biometric data using the secret and the nonce comprises encrypting the
biometric data using the GUID, the secret, and the nonce; and
wherein decrypting the encrypted biometric data using the secret and the nonce comprises
decrypting the encrypted biometric data using the GUID, the secret, and the nonce.
35. (Original) The method of claim 31, wherein the secret comprises a system GUID,
wherein receiving a secret comprises receiving the system GUID;
wherein storing the secret comprises storing the system GUID;
wherein transmitting at least the indication of the secret with the biometric data comprises
transmitting at least the indication of the system GUID with the biometric data;
wherein receiving at least the indication of the secret comprises receiving at least the indication
of the system GUID; and
wherein authenticating the biometric data using at least the indication of the secret comprises
authenticating the biometric data using at least the indication of the system GUID.

36. (Original) The method of claim 35,
wherein encrypting the biometric data comprises encrypting the biometric data using the system
GUID; and
wherein decrypting the encrypted biometric data comprises decrypting the encrypted biometric
data using the system GUID.
37. (Original) The method of claim 36,
wherein encrypting the biometric data using the system GUID comprises encrypting the
biometric data using the system GUID and the nonce; and
wherein decrypting the encrypted biometric data using the system GUID comprises decrypting
the encrypted biometric data using the system GUID and the nonce.
38. (Original) The method of claim 28, further comprising:
receiving a secret;
storing the secret;
transmitting at least an indication of the secret with the biometric data;
receiving at least the indication of the secret; and
authenticating the biometric data using at least the indication of the secret.
39. (Original) The method of claim 28, wherein receiving the biometric data occurs in
response to providing the nonce.

40. (Original) The method of claim 39, wherein receiving the biometric data occurs only in response to providing the nonce.

41. (Original) The method of claim 28, further comprising:

providing a GUID;

encrypting the biometric data using the GUID;

wherein transmitting the biometric data and the nonce comprises transmitting only the encrypted biometric data and the nonce;

receiving the encrypted biometric data and the nonce; and

decrypting the encrypted biometric data using the GUID.

42. (Original) The method of claim 41,

wherein encrypting the biometric data using the GUID comprises encrypting the biometric data using the GUID and the nonce; and

wherein decrypting the encrypted biometric data using the GUID comprises decrypting the encrypted biometric data using the GUID and the nonce.

43. (Original) A method, comprising:

providing a random number;

receiving biometric data; and

transmitting the biometric data and the random number.

authenticating the biometric data using the random number.

44. (Original) The method of claim 43, further comprising:

encrypting the biometric data;

wherein transmitting the biometric data and the random number comprises transmitting only the
encrypted biometric data and the random number;

receiving the encrypted biometric data and the random number; and

decrypting the encrypted biometric data.

45. (Original) The method of claim 44,

wherein encrypting the biometric data comprises encrypting the biometric data using the random
number; and

wherein decrypting the encrypted biometric data comprises decrypting the encrypted biometric
data using the random number.

46. (Original) The method of claim 44, further comprising:

receiving a secret;

storing the secret;

transmitting at least an indication of the secret with the biometric data;

receiving at least the indication of the secret; and

authenticating the biometric data using at least the indication of the secret.

47. (Original) The method of claim 46,

wherein encrypting the biometric data comprises encrypting the biometric data using the secret;

and

wherein decrypting the encrypted biometric data comprises decrypting the encrypted biometric data using the secret.

48. (Original) The method of claim 47,

wherein encrypting the biometric data using the secret comprises encrypting the biometric data using the secret and the random number; and

wherein decrypting the encrypted biometric data using the secret comprises decrypting the encrypted biometric data using the secret and the random number.

49. (Original) The method of claim 48, further comprising:

providing a GUID;

wherein encrypting the biometric data using the secret and the random number comprises encrypting the biometric data using the GUID, the secret, and the random number; and

wherein decrypting the encrypted biometric data using the secret and the random number comprises decrypting the encrypted biometric data using the GUID, the secret, and the random number.

50. (Original) The method of claim 46, wherein the secret comprises a system GUID,

wherein receiving a secret comprises receiving the system GUID;

wherein storing the secret comprises storing the system GUID;

wherein transmitting at least the indication of the secret with the biometric data comprises transmitting at least the indication of the system GUID with the biometric data;

wherein receiving at least the indication of the secret comprises receiving at least the indication of the system GUID; and

wherein authenticating the biometric data using at least the indication of the secret comprises authenticating the biometric data using at least the indication of the system GUID.

51. (Original) The method of claim 50,

wherein encrypting the biometric data comprises encrypting the biometric data using the system GUID; and

wherein decrypting the encrypted biometric data comprises decrypting the encrypted biometric data using the system GUID.

52. (Original) The method of claim 51,

wherein encrypting the biometric data using the system GUID comprises encrypting the biometric data using the system GUID and the random number; and

wherein decrypting the encrypted biometric data using the system GUID comprises decrypting the encrypted biometric data using the system GUID and the random number.

53. (Original) The method of claim 43, further comprising:

receiving a secret;

storing the secret;

transmitting at least an indication of the secret with the biometric data;

receiving at least the indication of the secret; and

authenticating the biometric data using at least the indication of the secret.

54. (Original) The method of claim 43, wherein receiving the biometric data occurs in response to providing the random number.

55. (Original) The method of claim 54, wherein receiving the biometric data occurs only in response to providing the random number.

56. (Original) The method of claim 43, further comprising:
providing a GUID;
encrypting the biometric data using the GUID;
wherein transmitting the biometric data and the random number comprises transmitting only the encrypted biometric data and the random number;
receiving the encrypted biometric data and the random number; and
decrypting the encrypted biometric data using the GUID.

57. (Original) The method of claim 56,
wherein encrypting the biometric data using the GUID comprises encrypting the biometric data using the GUID and the random number; and
wherein decrypting the encrypted biometric data using the GUID comprises decrypting the encrypted biometric data using the GUID and the random number.

58. (Original) A method for operating a computer system including a biometric device and a master device, the method comprising:

the master device providing a nonce;

the biometric device receiving biometric data; and

the biometric device transmitting the biometric data and the nonce to the master device.

59. (Original) The method of claim 58, further comprising:

the biometric device encrypting the biometric data;

wherein the biometric device transmitting the biometric data and the nonce to the master device

comprises the biometric device transmitting only the encrypted biometric data and the nonce to the master device;

the master device receiving the encrypted biometric data and the nonce from the biometric device; and

the master device decrypting the encrypted biometric data.

60. (Original) The method of claim 59,

wherein the biometric device encrypting the biometric data comprises the biometric device encrypting the biometric data using the nonce; and

wherein the master device decrypting the encrypted biometric data comprises the master device decrypting the encrypted biometric data using the nonce.

61. (Original) The method of claim 59, further comprising:

the biometric device receiving a secret;

the biometric device storing the secret;

the biometric device transmitting at least an indication of the secret with the biometric data to the master device;

the master device receiving at least the indication of the secret from the biometric device; and

the master device authenticating the biometric data using at least the indication of the secret.

62. (Original) The method of claim 61,

wherein the biometric device encrypting the biometric data comprises the biometric device encrypting the biometric data using the secret; and

wherein the master device decrypting the encrypted biometric data comprises the master device decrypting the encrypted biometric data using the secret.

63. (Original) The method of claim 62,

wherein the biometric device encrypting the biometric data using the secret comprises the biometric device encrypting the biometric data using the secret and the nonce; and

wherein the master device decrypting the encrypted biometric data using the secret comprises the master device decrypting the encrypted biometric data using the secret and the nonce.

64. (Original) The method of claim 63, further comprising:

providing a GUID from the biometric device to the master device;

wherein the biometric device encrypting the biometric data using the secret and the nonce comprises the biometric device encrypting the biometric data using the GUID, the secret, and the nonce; and

wherein the master device decrypting the encrypted biometric data using the secret and the nonce comprises the master device decrypting the encrypted biometric data using the GUID, the secret, and the nonce.

65. (Original) The method of claim 61, wherein the secret comprises a system GUID, wherein the biometric device receiving a secret comprises the biometric device receiving the system GUID; wherein the biometric device storing the secret comprises the biometric device storing the system GUID; wherein the biometric device transmitting at least the indication of the secret with the biometric data to the master device comprises the biometric device transmitting at least the indication of the system GUID with the biometric data to the master device; wherein the master device receiving at least the indication of the secret from the biometric device comprises receiving at least the indication of the system GUID from the biometric device; and wherein the master device authenticating the biometric data using at least the indication of the secret comprises the master device authenticating the biometric data using at least the indication of the system GUID.

66. (Original) The method of claim 65, wherein the biometric device encrypting the biometric data comprises the biometric device encrypting the biometric data using the system GUID; and

wherein the master device decrypting the encrypted biometric data comprises the master device decrypting the encrypted biometric data using the system GUID.

67. (Original) The method of claim 66,

wherein the biometric device encrypting the biometric data using the system GUID comprises the biometric device encrypting the biometric data using the system GUID and the nonce;
and

wherein the master device decrypting the encrypted biometric data using the system GUID comprises the master device decrypting the encrypted biometric data using the system GUID and the nonce.

68. (Original) The method of claim 58, further comprising:

the biometric device receiving a secret;

the biometric device storing the secret;

the biometric device transmitting at least an indication of the secret with the biometric data to the master device;

the master device receiving at least the indication of the secret from the biometric device; and

the master device authenticating the biometric data using at least the indication of the secret.

69. (Original) The method of claim 58, wherein the biometric device receiving the biometric data occurs in response to the master device providing the nonce to the biometric device.

70. (Original) The method of claim 69, wherein the biometric device receiving the biometric data occurs only in response to the master device providing the nonce to the biometric device.

71. (Original) The method of claim 58, wherein the biometric data are taken from the group consisting of: a fingerprint or thumbprint, hand geometry, voice print, retinal scan, facial scan, body odor, ear shape, DNA profile, keystroke dynamics, pen stroke dynamics, and vein checking, the method further comprising:

the master device providing the nonce;

the biometric device receiving the biometric data; and

the biometric device transmitting the biometric data and the nonce to the master device.

72. (Original) The method of claim 58, wherein the master device is selected from the group consisting of a processor, a bridge, a north bridge, a south bridge, and a motherboard, the method further comprising:

the master device providing the nonce;

the biometric device receiving the biometric data; and

the biometric device transmitting the biometric data and the nonce to the master device.

73. (Original) The method of claim 58, further comprising:

providing a GUID from the biometric device to the master device;

the biometric device encrypting the biometric data using the GUID;

wherein the biometric device transmitting the biometric data and the nonce to the master device comprises the biometric device transmitting only the encrypted biometric data and the nonce to the master device;

the master device receiving the encrypted biometric data and the nonce from the biometric device; and

the master device decrypting the encrypted biometric data using the GUID.

74. (Original) The method of claim 73,

wherein the biometric device encrypting the biometric data using the GUID comprises the biometric device encrypting the biometric data using the GUID and the nonce; and

wherein the master device decrypting the encrypted biometric data using the GUID comprises the master device decrypting the encrypted biometric data using the GUID and the nonce.

75. (Original) A system, comprising:

means for providing a nonce;

means for receiving biometric data; and

means for transmitting the biometric data and the nonce; and

means for authenticating the biometric data using the nonce.

76. (Original) The system of claim 75, further comprising:

means for encrypting the biometric data;

wherein the means for transmitting the biometric data and the nonce comprise means for transmitting only the encrypted biometric data and the nonce;

means for receiving the encrypted biometric data and the nonce; and

means for decrypting the encrypted biometric data.

77. (Original) The system of claim 76,

wherein the means for encrypting the biometric data comprise means for encrypting the biometric data using the nonce; and

wherein the means for decrypting the encrypted biometric data comprise means for decrypting the encrypted biometric data using the nonce.

78. (Original) A system, comprising:

means for providing a random number;

means for receiving biometric data; and

means for transmitting the biometric data and the random number; and

means for authenticating the biometric data using the random number.

79. (Original) The system of claim 78, further comprising:

means for encrypting the biometric data;

wherein the means for transmitting the biometric data and the random number comprise means for transmitting only the encrypted biometric data and the random number;

means for receiving the encrypted biometric data and the random number; and

means for decrypting the encrypted biometric data.

80. (Original) The system of claim 79,
wherein the means for encrypting the biometric data comprise means for encrypting the
biometric data using the random number; and
wherein the means for decrypting the encrypted biometric data comprise means for decrypting
the encrypted biometric data using the random number.